

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6135760").PN.	USPAT	OR	OFF	2005/08/31 11:25
L2	2	((("5264708") or ("5995261"))).PN.	USPAT	OR	OFF	2005/08/31 11:25
L3	52	(uv with (flame near sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 11:25
L4	60	((uv or ir) with (flame near sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 11:25
L5	17	L4 and photodiode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L6	14	L5 and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L7	2	L6 and (fet with (automatic adj (gain adj control)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L8	2	L6 and fet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L9	14	L5 and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L10	0	250/372.00	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25

L11	1162	250/372.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L12	67	L11 and ((fire or heat or flame) with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L13	6	L12 and photodiode and amplifier and capacitor and gain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L14	189	((fire or heat or flame) with sensor) and photodiode and amplifier and capacitor and gain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L15	99	((fire or heat or flame) with (sensor or detector)) and photodiode and amplifier and capacitor and gain and (uv or IR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L16	15893	((fire or heat or flame) with (sensor or detector)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L17	1305	L16 and (ultraviolet or infrared)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L18	22	L17 and photodiode and amplifier and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25

L19	1305	L16 and (ultraviolet or infrared)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L20	19	L17 and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L21	2	L17 and (capacitance adj laminate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L22	5	(((fire or heat or flame) with (sensor or detector)) same fabricated) same pcb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L23	0	(((fire or heat or flame) with (sensor or detector)) with fabricated) with pcb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L24	0	2002/0154592	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L25	53	369/121.ccls. and tanaka.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L26	13	L17 and laminate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25

L27	2	L26 and L20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L28	15893	((fire or heat or flame) with (sensor or detector)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L29	1	L28 and (ultraviolet or infrared) and (laminate near2 capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L30	3620	(laminate near2 capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L31	2	L30 and ((fire or heat or flame) with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L32	2	L28 and (ultraviolet or infrared) and (laminate with capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L33	19	L28 and (ultraviolet or infrared) and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L34	12	L28 and (ultraviolet or infrared) and pcb and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25

L35	395	250/554.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L36	0	L35 and L32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L37	50	L35 and L28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L38	18	L37 and ultraviolet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L39	0	L38 and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L40	18	L37 and ultraviolet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L41	63	(laminate near2 capacitor) and (sensor or detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L42	0	L41 and 250/?ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25

L43	17	L41 and ultraviolet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L44	1	L43 and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L45	17	L41 and ultraviolet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L46	1	("5670784").PN.	USPAT	OR	OFF	2005/08/31 11:25
L47	1	("6013919").PN.	USPAT	OR	OFF	2005/08/31 11:25
L48	208	((fire or heat or flame) with (sensor or detector)) same pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L49	51	((fire or heat or flame) with (sensor or detector)).ti. and (((fire or heat or flame) with (sensor or detector)) same pcb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L50	156	(flame near2 sensor) and turbine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L51	49	L50 and ultraviolet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L52	10	L51 and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25

L53	9050	capacit\$5 with laminate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L54	70	L53 same pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L55	7	L54 and (sensor or detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L56	0	(flame near2 sensor) and (polycarbonate near capacit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L57	0	(ultraviolet with (flame near sensor)) with pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L58	3	(ultraviolet with (flame near sensor)) and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L59	3	(flame near sensor) with pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L60	258	photodiode and amplifier and capacitor and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25

L61	180	L60 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L62	74	L61 and (fet or (automatic adj (gain adj control)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L63	55	L62 and (flame or heat)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L64	5	(flame near sensor) same pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L65	19	(flame near sensor) and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L66	13	(flame near (detector or sensor)) with pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L67	7	((("5773826") or ("5589099") or ("5548276") or ("5311167") or ("5155468") or ("5153722") or ("4769775"))).PN.	USPAT	OR	OFF	2005/08/31 11:25
L68	5506	(flame near (detector or sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L69	830	L68 and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25

L70	95	L69 and photodiode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L71	6386	guard adj band	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L72	114	L71 and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L73	5	L71 WITH pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L74	1	10/611384	US-PGPUB	OR	OFF	2005/08/31 11:25
L75	15893	((fire or heat or flame) with (sensor or detector)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L76	135	L75 and (response adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L77	21	L76 and millisecond	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L78	2	((fire or heat or flame) with (sensor or detector)).ti. and housing and lensing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25

L79	6386	guard adj band	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L80	2	L79 with (identical adj position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L81	2	(track with (equal adj potential)) with PCB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L82	1	("6057549").PN.	USPAT	OR	OFF	2005/08/31 11:25
L83	1162	250/372.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L84	67	L83 and ((fire or heat or flame) with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L85	6	L84 and photodiode and amplifier and capacitor and gain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:25
L86	0	"10611384"	US-PGPUB	OR	ON	2005/08/31 11:25
L87	1	10/611384	US-PGPUB	OR	ON	2005/08/31 11:25
L88	1	("6013919").PN.	USPAT	OR	OFF	2005/08/31 11:25